



Radiating cable, slotted and corrugated copper tube for outer conductor and smooth copper tube for inner conductor, foam PE dielectric, 7/8 in, black PE jacket

### **General Specifications**

Flexibility Standard
Jacket Color Black

Performance Note Attenuation guaranteed within the tolerance ±10% Structure Note Dimension guaranteed within the tolerance ±5%

Nominal Size 7/8 in

### **Material Specifications**

Inner Conductor Smooth Copper Tube

Dielectric Foam PE

Outer Conductor Slotted and Corrugated Copper Tube

JacketBlack PEDiameter of Inner Conductor9.10 mmDiameter of Dielectric22.40 mmDiameter of Outer Conductor24.90 mmDiameter of Jacket27.50 mm

# **Electrical Specifications**

Impedance 50 ohms±1 ohm Maximum Available Frequence 50-2500 MHz

Velocity Ratio 88% Peak Power 91 kW

Insulation Resistance 100,000 MΩ·km

DC Breakdown Voltage 8000 V
Nominal Capacitance 70 pF/m
Nominal Inductance 0.19 µH/m



#### **Attenuations**

Frequency	Attenuation	Attenuation	Coupling Loss, 2m
(MHz)	(dB/100 m)	(dB/100 ft)	(dB, 50%)
150	1.7	0.52	73/84
450	3.3	1.01	73/83
900	4.9	1.49	76/86
1800	7.0	2.13	73/79
2400	8.5	2.59	72/80

## **Return Loss / VSWR**

Frequency Band	VSWR	Return Loss (dB)	Tolerance
50-2500MHz	1.30	17.7	5%

# **Mechanical Specifications**

Bending Radius (Single)	≥250 mm
Bending Radius (Repeated)	≥480 mm
Number of Bending (Typical)	≤15
Tensile Strength	1500N

## **Environmental Specifications**

Installation Temperature	-20 °C to +55 °C
Operating Temperature	-40 °C to +85 °C
Storage Temperature	-55 °C to +85 °C

# **Regulatory Compliances**

ISO 9001:2015	Compliant
ROHS	Compliant
China RoHS	Compliant
UK RoHS	Compliant
REACH	Compliant
EU/CE	Compliant

In the effort to improve our products, we reserve the right to make changes judged to be necessary. While the information has been carefully compiled to the best of our knowledge, but nothing is intended as representation or warranty on our part and no statement herein shall be construed as recommendation to infringe existing patents. The information contained in this document is subject to change without notice.